Journal of Imaging Technology

Formerly the Journal of Applied Photographic Engineering

A bimonthly publication of the
Society of Photographic Scientists and Engineers

INDEX TO VOLUME 10 1984

Subject 248
Author 250

Only technical papers (P), Image Technology® (IT), Technical Notes (N), and Tutorial papers (T) are included in this index

Number 1, February 1–48
Number 2, April 49–92
Number 3, June 93–134
Number 4, August 135–172
Number 5, October 173–210
Number 6, December 211–252

Journal of Imaging Technology
Volume 10, Number 6, December 1984

Subject Index

Aerial photography
Resource inventory through instructionally-based digital processing system (N), 2: 85–86
Use of remote sensing to detect old man's beard in rangeland and citrus orchards in southern Texas (P), 5: 207–210

Archiving
Documents and equipment considerations involved in microfiche reproductions of 19th century documents (N), 4: 168–171

Astronomical imaging
New procedures for processing and storage of Kodak spectroscopic plates, Type IIIa-J (P), 1: 22–28

Atmospheric modeling
A diffusion model to correct multi-spectral images for the atmospheric scattering effect (P), 3: 93–98

Bacterial growth
Bacterial slime in photographic wash tanks—Its cause and prevention (N), 6: 242–243

Black and white films
Stability and restoration of images on Kodak professional B/W duplicating film/4168 (P), 3: 113–118

Black and white printing
Toner treatments for photographic images to enhance image stability (P), 3: 119–126

Black and white processing
New procedures for processing and storage of Kodak spectroscopic plates, Type IIIa-J (P), 1: 22–28
Stability and restoration of images on Kodak professional B/W duplicating film/4168 (P), 3: 112–118

Charge coupled device
"Forward Observer," a charge-coupled device (CCD) electronic camera (P), 3: 99–104

Chemical analysis
Three-electrode control procedures for electrolytic silver recovery (P), 6: 233–238

Chemical management
Bacterial slime in photographic wash tanks—Its cause and prevention (N), 6: 242–243
RMSP—A modular system for recycling and treatment of photographic effluents (P), 6: 217–221
Three-electrode control procedures for electrolytic silver recovery (P), 6: 233–238
Treatment of photofinishing effluents using rotating biological contractors (RBCs) (P), 6: 221–226

Chemical recovery
The critical role of sulfite in the reuse of photographic solutions (P), 6: 212–216

Chemistry
Chemical research in color photography (T), 3: 130–134

Color films
The Polaroid 35mm instant slide system (P), 1: 1–9

Color infrared
Densitometric studies of color and color infrared photographs of diseased cucumber leaves and plants (P), 2: 79–84

Color infrared film
Use of remote sensing to detect old man's beard in rangeland and citrus orchards in southern Texas (P), 5: 207–210

Color microfilm
Color microfilming of documents (N), 4: 165–168

Color microfiche
How does one store color business graphics?—Computer generated color microfiche (P), 4: 143–145

Color photography
Chemical research in color photography (T), 3: 130–134

Color reproduction
The Polaroid 35mm instant slide system (P), 1: 1–9

Computer technology
How does one store color business graphics?—Computer generated color microfiche (P), 4: 143–145

Computers
Resource inventory through instructionally-based digital processing system (N), 2: 85–86

Couplers
Negative working diazo imaging using blocked couplers (P), 5: 173–177

Densitometry
Densitometric studies of color and color infrared photographs of diseased cucumber leaves and plants (P), 2: 79–84

Diazo
Advances in high contrast diazo sepia reversal film technology (P), 5: 177–181
Negative-working diazo imaging using blocked couplers (P), 5: 173–177
UV-fixable diazotype thermal recording paper (P), 2: 74–79

Diazo compounds
UV-fixable diazotype thermal recording paper (P), 2: 74–79

Diffusion transfer
The Polaroid 35mm instant slide system (P), 1: 1–9

Diffraction gratings
Fabrication of high efficiency surface relief holograms (P), 3: 105–108

Digital data
Procedures for accurate production of color images from satellite or aircraft multispectral digital data (P), 1: 16–22

Digital image processing
Resource inventory through instructionally-based digital processing system (N), 2: 85–86

Digital recording
Procedures for accurate production of color images from satellite or aircraft multispectral digital data (P), 1: 16–22

Dry processing
UV-fixable diazotype thermal recording paper (P), 2: 74–79

Duplicating
Stability and restoration of images on Kodak professional B/W duplicating film/4168 (P), 3: 113–118

Effluents
Treatment of photofinishing effluents using rotating biological contractors (RBCs) (P), 6: 221–226

Electrolytic cells
A study of the major parameters for designing rotating cathode electrolytic silver recovery cells (P), 6: 226–232

Electronic camera
"Forward Observer," a charge-coupled device (CCD) electronic camera (P), 3: 99–104

Electronic flash
Application of temporal spectral analyzer in characterizing electronic flash sources used in photographic systems (P), 5: 197–200

Electrostatic imaging
Electrodynamics of surface charge migration: Its application to electrostatic imaging (P), 3: 109–112

Exposure controls
Selective exposure control system for large format still cameras (N), 2: 87–92

Facsimile printing
UV-fixable diazotype thermal recording paper (P), 2: 74–79

Film
Theoretical influence of the log normal grain size distribution on the characteristic curve of photographic film (P), 2: 49–52

Film storage
New procedures for processing and storage of Kodak spectroscopic plates, Type IIIa-J (P), 1: 22–28

Fixation
New procedures for processing and storage of Kodak spectroscopic plates, Type IIIa-J (P), 1: 22–28
UV-fixable diazotype thermal recording paper (P), 2: 74–79

Granularity
Theoretical influence of the log normal grain size distribution on the characteristic curve of photographic film (P), 2: 49–52

Graphic arts
A new evaluation method of image quality of digital halftone images obtained by ordered dither method (P), 5: 181–185
Large area imaging (P), 5: 201–206

Holography
Fabrication of high efficiency surface relief holograms (P): 3: 105–108

Image evaluation
A new evaluation method of image quality of digital halftone images obtained by ordered dither method (P), 5: 181–185
New method for evaluating the thermosensitivity of thermal recording papers (P), 5: 186–189
Stability and restoration of images on Kodak professional B/W duplicating film/4168 (P), 3: 112–118
Toner treatments for photographic images to enhance image stability (P), 3: 119–126

Image permanence
New procedures for processing and storage of Kodak spectroscopic plates, Type IIIa-J (P), 1: 22–28

Image quality
Image quality factors and radiation dose in mammography (T), 1: 29–35

Image stability
Stability and restoration of images on Kodak professional B/W duplicating film/4168 (P), 3: 112–118
Toner treatments for photographic images to enhance image stability (P), 3: 119–126

Ink jet printing
Oscillations of an air bubble in an ink jet (P), 3: 127–129

Ink transfer imaging
Gray-scale printing on plain paper using thermal ink-transfer imaging (P), 2: 57–63

Instruction
Resource inventory through instructionally-based digital processing system (N), 2: 85–86

Instrumentation
A historical perspective of changing technologies in nuclear medicine imaging (T), 1: 36–42

Ion exchange
Photo wash water recycling system utilizing ion exchange technology (N), 6: 244–246
RSMP—A modular system for recycling and treatment of photographic effluents (P), 6: 217–221
The critical role of sulfite in the reuse of photographic solutions (P), 6: 212–216

Keynote remarks
Preserving the records of America: The role of micrographics in the National Archives (T), 4: 137–179

Landsat images
A diffusion model to correct multi-spectral images for the atmospheric scattering effect (P), 3: 93–98

Large format cameras
Selective exposure control system for large format still cameras (N), 2: 87–92

Mammography
Image quality factors and radiation dose in mammography (T), 1: 29–35

Mass memory system
The 2010: An integrated optical mass memory system (N), 4: 162–165

Math modeling
Radioluminescent imaging: Factors affecting light output (T), 1: 43–47

Medical imaging
A historical perspective of changing technologies in nuclear medicine imaging (T), 1, 36–42

Microfiche
Documents and equipment considerations involved in microfiche reproductions of 19th century documents (N), 4: 168–171

Migration imaging
Applications of Xerox Dry Microfilm (XDM), a camera-speed, high resolution, nonsilver film with instant, dry development (P), 5: 190–196

Microimaging
Color microfilming of documents (N), 4: 165–168
Comparison of resolution with letter height in micrographics (P), 4: 149–158
Documents and equipment considerations involved in microfiche reproductions of 19th century documents (N), 4: 168–171
How does one store color business graphics?—Computer generated color microfiche (P), 4: 143–145
Innovative packaging for 16mm microfilm (N), 4: 159–160
Microfilm as a preservation medium (P), 4: 140–142
Photodielectric technology applied to engineering documentation/plain paper output (P), 4: 145–149
Preserving the records of America: The role of micrographics in the National Archives (T), 4: 137–139
The 2010: An integrated optical mass memory system (N), 4: 162–165
Transition of an image system—From paper to microfiche to optical disk (N), 4: 161–162

Multispectral imaging
A diffusion model to correct multi-spectral images for the atmospheric scattering effect (P), 3: 93–98

Negative diago
Negative-working diazo imaging using blocked couplers (P), 5: 173–177

Optical disk storage
Transition of an image system—From paper to microfiche to optical disk (N), 4: 161–162

Organic receptors
Photoconductivity of ions in solution (P), 2: 64–73

Packaging
Innovative packaging for 16mm microfilm (N), 4: 159–160

Photoconductivity
Photoconductivity of ions in solution (P), 2: 64–73

Photodielectric process
Photodielectric technology applied to engineering documentation/plain paper output (P), 4: 145–149

Photodiode array
Application of temporal spectral analyzer in characterizing electronic flash sources used in photographic systems (P), 5: 197–200

Photoflash
Color balance shift in film at short flash exposures (P), 2: 53–56

Photoresists
Fabrication of high efficiency surface relief holograms (P), 3: 105–108

Polymer films
Photoconductivity of ions in solution (P), 2: 64–73

Preservation
Microfilm as a preservation medium (P), 4: 140–142

Printing
Gray-scale printing on plain paper using thermal-ink-transfer imaging (P), 2: 57–63

Processing
Bacterial slime in photographic wash tanks—Its cause and prevention (N), 6: 242–243
Photo wash water recycling system utilizes ion exchange technology (N), 6: 244–246
Photoprocessing wash water biocides (P), 6: 239–241
RMSP—A modular system for recycling and treatment of photographic effluents (P), 6: 217–221
The critical role of sulfite in the reuse of photographic solutions (P), 6: 212–216
Treatment of photofinishing effluents using rotating biological contactors (RBCs) (P), 6: 221–226

Radiation dose
Image quality factors and radiation dose in mammography (T), 1: 29–35

Radiography
A historical perspective of changing technologies in nuclear medicine imaging (T), 1: 36–42
Radioluminescent imaging: Factors affecting light output (T), 1: 43–47

Luminescence
Radioluminescent imaging: Factors affecting light output (T), 1: 43–47

Reciprocity failure
Color balance shift in film at short flash exposures (P), 2: 53–56

Records storage
Color microfilming of documents (N), 4: 165–168
Transition of an image system—From paper to microfiche to optical disk (N), 4: 161–162

Remote sensing
A diffusion model to correct multi-spectral images for the atmospheric scattering effect (P), 3: 93–98
Densitometric studies of color and color infrared photographs of diseased cucumber leaves and plants (P), 2: 79–84
Use of remote sensing to detect old man's beard in rangeland and citrus orchards in southern Texas (P), 5: 207–210

Satellite photography
Resource inventory through instructionally-based digital processing system (N), 2: 85–86

Screen/film combination
Image quality factors and radiation dose in mammography (T), 1: 29–35

Sepia reversal
Advances in high contrast diazo sepia reversal film technology (P), 5: 177–181

Silver recovery
A study of the major parameters for designing rotating cathode electrolytic silver recovery cells (P), 6: 226–232
The critical role of sulfite in the reuse of photographic solutions (P), 6: 212–216
Three-electrode control procedures for electrolytic silver recovery (P), 6: 233–238

16mm microfilm
Innovative packaging for 16mm microfilm (N), 4: 159–160

Spectral distribution
Color balance shift in film at short flash exposures (P), 2: 53–56

Spectroscopic plates
New procedures for processing and storage of Kodak spectroscopic plates, Type IIIa-J (P), 1: 22–28

Still cameras
The Polaroid 35mm instant slide system (P), 1: 1–9

Sulfites
The critical role of sulfite in the reuse of photographic solutions (P), 6: 212–216

Thermal recording papers
UV-fixable diazotype thermal recording paper (P), 2: 74–79
New method for evaluating the thermosensitivity of thermal recording papers (P), 5: 186–189

Toner
Toner treatments for photographic images to enhance image stability (P), 3: 119–126

Ultraviolet
UV-fixable diazotype thermal recording paper (P), 2: 74–79

Wash water
Photoprocessing wash water biocides (P), 6: 139–241

Water recycling
Photo wash water recycling system utilizing ion exchange technology (N), 6: 244–246

Xerography
Applications of Xerox Dry Microfilm (XDM), a camera-speed, high resolution, nonsilver film with instant, dry development (P), 5: 190–196

Author Index

Albert, R.
Photoconductivity of ions in solution (P), 2: 64–73
Ash, D. See Lougeay, R., 85–86
Axelrod, D. J.
Innovative packaging for 16mm microfilm (N), 4: 159–160
Ayral, E. See Palazzo, F., et al., 99–104
Bennett, E. W.
Negative-working diazo imaging using blocked couplers (P), 5: 173–177
Blazquez, C. H.
—; Edwards, G. J.: Densitometric studies of color and color infrared photographs of diseased cucumber leaves and plants (P), 2: 79–84
Brauer, W. See Wahl, K. L., 217–221
Brock, J. D.
—; Cohen, I. M., Ivanov, I. P., Le, H. P., Roy, J.: Oscillations of an air bubble in an ink jet (P), 3: 127–129
Cain, S. R.
—; Strella, S., Pickering, E. F.: Electrodynamics of surface charge migration: Its application to electrostatic imaging (P), 3: 109–112
Calmes, A.
Microfilm as a preservation medium (P), 4: 140–142
Chiba, Y. See Hashimoto, T., et al., 53–56
Cohen, I. M. See Brock, J. D., et al., 127–129
Cooley, A. C.
A study of the major parameters for designing rotating cathode electrolytic silver recovery cells (P), 6: 226–232
Three-electrode control procedures for electrolytic silver recovery (P), 6: 233–238
Deegan, R. O.
Photoprocessing wash wataer biocides (P), 6: 239–241
Desjarlais, R. C.
Advances in high contrast diazo sepia reversal film technology (P), 5: 177–181
Dirks, J. F. See LaBelle, G. E., et al., 149–158
Drago, F. J.
—; Lee, W. E.: Stability and restoration of images on Kodak professional B/W duplicating film/4168 (P), 3: 112–118
See Lee, W. E., et al., 22–28
See Lee, W. E., et al., 119–126
Duval, J. S.
Procedures for accurate production of color images from satellite or aircraft multispectral digital images (P), 1: 16–22
Duwe, R. W. See LaBelle, G. E., et al., 149–158
Edwards, G. J. See Blazquez, C. H., 79–84
Erickson, L. See Haus, A. G., 29–35
Everitt, J. H.
—; Nixon, P. R.: Use of remote sensing to detect old man's beard in rangeland and citrus orchards in southern Texas (P), 5: 207–210
Gfeller, K. See Koch, H-C, 87–92
Grimaldi, John E.
How does one store color business graphics?—Computer generated color microfiche (P), 4: 143–145
Hanson, W. T., Jr.
Chemical research in color photography (T), 3: 130–134
Hashimoto, T.
—; Inui, M., Miyake, Y., Kubo, S., Chiba, Y.: Color balance shift in film at short flash exposures (P), 2: 53–56
Haus, A. G.
—; Erickson, L.: Image quality factors and radiation dose in mammography (T), 1: 29–35
Hendrickson, T. N.
—; Lorenzo, G. A.: The critical role of sulfite in the reuse of photographic solutions (P), 6: 212–216
Herbert, A. J.
Large area imaging (P), 5: 201–206
Inui, M. See Hashimoto, T., et al., 53–56
Ivanov, I. P. See Brock, J. D., et al., 127–129
Kepley, B. B.
—; Youso, R.: Documents and equipment considerations involved in microfiche reproductions of 19th century documents (N), 4: 168–171
Kinoshita, H.
—; Miyake, Y., Tamoto, Y., Kubo, S.: A new evaluation method of image quality of digital halftone images obtained by ordered dither method (P), 5: 181–185
Koch, H-C.
—; Gfeller, K.: Selective exposure control system for large format still cameras (N), 2: 87–92
Kovacs, G. J. See Pundsack, A. L., 190–196
Krayeski, F. P.
Transition of an image system—From paper to microfiche to optical disk (N), 4: 161–162
Kreiman, R. T.
Bacterial slime in photographic wash tanks—Its cause and prevention (N), 6: 242–243
Photo wash water recycling system utilizing ion exchange technology (N), 244–246
Kubo, S. See Hashimoto, T., et al., 53–56
Kubo, S. See Kinoshita, H., et al., 181–185
LaBelle, G. E.
—; Duwe, R. W., Dirks, J. F.: Comparison of resolution with letter height in micrographics (P), 4: 149–158
Le, H. P. See Brock, J. D., et al., 127–129
Lee, W. E.
—; Drago, F. J., Ram, A. T.: New procedures for processing and storage of Kodak spectroscopic plates, Type IIIa-J (P), 1: 22–28
Lee, W. E.
—; Wood, B., Drago, F. J.: Toner treatments for photographic images to enhance image stability (P), 3: 119–126
Lee, W. E. See Drago, F. J., 112–118
Liggero S. H.
—; McCarthy, K. J., Stella, J.: The Polaroid 35mm instant slide system (P), 1: 1–9
Lira, J.
—; Oliver, A.: A diffusion model to correct multispectral images for the atmospheric scattering effect (P), 3: 93–98
Lorenzo, G. A. See Hendrickson, T. N., 212–216
Lytle, P. E.
Treatment of photofinishing effluents using rotating biological compactors (RBCs) (P), 6: 221–226
Mathews, B. See Palazzo, F., et al., 99–104
McCarthy, K. J. See Liggero, S. H., et al., 1–9
See Hashimoto, T., et al., 53–56
Miyake, Y. See Kinoshita, H., et al., 181–185
Murase, K. See Sato, H., 186–189
Nakamura, K.
Theoretical influence of the log normal grain size characteristic curve of photographic film (P), 2: 49–52

Neumeier, P. J.
The 2010: An integrated optical mass memory system (N), 4: 162–165
Ng, D. S. See Pundsack, A. L., 190–196
Nixon, P. R. See Everitt, J. H., 207–210
Ohwaki, J. See Sato, H., et al., 186–189
Ohya, J.
—; Tokunaga, Y.: Gray-scale printing on plain paper using thermal ink-transfer imaging (P), 2: 57–63
Oliver, A. See Lira, J., 93–98
Ooba, Y. See Sato, H., et al., 74–79
Palazzo, F.
—; Ayral, E., Roberts, A., Mathews, B.: "Forward Observer," a charge coupled device (CCD) electronic camera (P), 3: 99–104
Pickering, E. F. See Cain, S. R., et al., 109–112
Pundsack, A. L.
—; Vincett, P. S., Soden, P. H., Tam, M. C., Kovacs, G. J., Ng, D. S.: Applications of Xerox Dry Microfilm (XDM), a camera-speed, high resolution, nonsilver film with instant, dry development (P), 5: 190–196
Ram, A. T. See Lee, W. E., et al., 22–28
Reintjes, J. F.
—; Stanton, B. J.: An automatic threshold-setting technique for two-level digital encoding of analog signals (P), 1: 10–15
Roberts A. See Palazzo, F., et al., 99–104
Rodriguez, N.
Application of temporal spectral analyzer in characterizing electronic flash sources used in photographic systems (P), 5: 197–200
Roy, J. See Brock, J. D., et al., 127–129
Sato, H.
—; Ohwaki, J., Murase, K.: New method for evaluating the thermo-sensitivity of thermal recording papers (P), 5: 186–189
Sato, H.
—; Sukegawa,; K., Ooba, Y.: UV-fixable diazotype thermal recording paper (P), 2: 74–79
Sincerbox, G. See Werlich, H., et al., 105–108
Sobieski, J. F.
—; Tingerthal, W. C.: Photodielectric technology applied to engineering documentation/plain paper output (P), 4: 145–149
Soden, P. H. See Pundsack, A. L., 190–196
Stanton, B. J. See Reintjes, J. F., 10–15
Stella, J. A. See Liggero, S. H., et al., 109
Strella, S. See Cain, S. R., et al., 109–112
Sukegawa, K. See Sato, H., et al., 74–79
Tam, M. C. See Pundsack, A. L., 190–196
Tamoto, Y. See Kinoshita, H., et al., 181–185
Taubes, E. P.
Color microfilming of documents (N), 4: 165–168
Tingerthal, W. C. See Sobieski, J. F., 145–149
Tokunaga, Y. See Ohya, J., 57–63
Wahl, K. L.
—; Brauer, W.: RMSP—A modular system for recycling and treatment of photographic effluents (P), 6: 217–221
Vincett, D. S. See Pundsack, A. L., 190–196
Warner, R. M.
Preserving the records of America: The role of micrographics in the National Archives (T), 4: 137–139
Weber, D. A.
A historical perspective of changing technologies in nuclear medicine imaging (T), 1: 36–42
Werlich, H.
—; Sincerbox, G., Yung, B.: Fabrication of high efficiency surface relief holograms (P), 3: 105–108
Wood, B. See Lee, W. E., et al., 119–126
Youso, R. See Kepley, B. B., 168–171
Yung, B. See Werlich, et al., 105–108
Zweig, D. A. See Zweig, G., 43–47
Zweig, G.
—; Zweig, D. A.: Radioluminescent imaging: Factors affecting light output (T), 1: 43–47